



# Easy Vent

DESIGN . MANUFACTURE . INSTALL . MAINTAIN



## CK Direct Easy Vent

Integrated canopy extraction systems offer a simple and easy option for kitchen extraction. Suitable for lower use applications with both gas and electric equipment.

The system has been created to make extracting from your new commercial kitchen as simple as possible. Designed to use a built in internal centrifugal fan, this removes the need to have an external or inline fan. Canopy can be mounted on either wall or ceiling, wired to a 13amp fused spur, and fan switched on. Available in sizes from 1000mm to 2400mm in two depths of 1000mm for electric and 1200mm for gas equipment. A single phase electronic speed controller on the front of the unit is used to control the fan, which can be installed to extract vertically or horizontally.

Manufactured with high quality 0.9mm thick 430 or 304 grade Stainless Steel Sheet with a smooth wipe clean interior finish. Designed and manufactured in accordance with the DW172 Specification for kitchen ventilation systems

When installed, a canopy's front edge should sit 2000mm off the floor an exception can be made for it to sit 2100mm however any higher and this will no longer meet regulations. The canopy should also be big enough to leave a clearance of no less than 300mm on each side of the appliance.

Model	Dimensions (W x D x H)	Number of Filters	Filter Size (H x W)	Weight (approx. kg)
CKEV1010	1000 x 1000 x 500-250mm	2	495 x 395	31
CKEV1012	1000 x 1200 x 500-250mm	2	495 x 395	33
CKEV1210	1200 x 1000 x 500-250mm	2	495 x 495	33
CKEV1212	1200 x 1200 x 500-250mm	2	495 x 495	35
CKEV1410	1400 x 1000 x 500-250mm	2	495 x 495	36
CKEV1412	1400 x 1200 x 500-250mm	2	495 x 495	37
CKEV1610	1600 x 1000 x 500-250mm	3	495 x 395	38
CKEV1612	1600 x 1200 x 500-250mm	3	495 x 395	40
CKEV1810	1800 x 1000 x 500-250mm	3	495 x 495	41
CKEV1812	1800 x 1200 x 500-250mm	3	495 x 495	42
CKEV2010	2000 x 1000 x 500-250mm	4	495 x 395	48
CKEV2012	2000 x 1200 x 500-250mm	4	495 x 395	50
CKEV2410	2400 x 1000 x 500-250mm	4	495 x 495	53
CKEV2412	2400 x 1200 x 500-250mm	4	495 x 495	54

As well as sizes above we also provide bespoke canopy measurements upon customer request

### CK Direct Ltd

Unit 15 Tresham Road,  
Orton Southgate,  
Peterborough, PE2 6SG

T +44 (0) 1733 230 378  
E [info@ckdirect.co.uk](mailto:info@ckdirect.co.uk)  
W [ckdirect.co.uk](http://ckdirect.co.uk)

 **CK Direct**



Electric Equipment	Gas Equipment
1x Canopy with Fan, Speed controller and Spigot 1x Length of Flexible Aluminium Ducting 1x Weather Louvre Grille 1x Pair of Hose Clips 1x Grease Collection Tray	1x Canopy with Fan, Speed controller and Spigot 1x Spiral Ducting 1x 90° Bend 1x Meshed Beak Cowl 1x Grease Collection Tray

Smaller than 1800mm	1800mm and Bigger
Height - (back) 500mm Height - (front) 250mm Spigot - 200mm Fan - S&P CBM-7/7 147W Controller - S&P REB-3	Height - (back) 550mm Height - (front) 250mm Spigot - 250mm Fan - S&P CBM-9/9 550W Controller - S&P REB-5

Electric Equipment	Gas Equipment
Model - S&P CBM-7/7 147W Motor Power - 147W Airflow - 0.43m <sup>3</sup> s Weight - 6.9kg Max Sound Pressure* - 57dB(A)	Model - S&P CBM-9/9 550W Motor Power - 550W Airflow - 0.68m <sup>3</sup> s Weight - 14kg Max Sound Pressure* - 66dB(A)

\*Max sound pressure as measured at 1.5m from the fan inlet side in free field.

We provide a 1 year parts warranty.  
 When using gas cooking equipment, a gas interlock system is legally required and mechanical fresh air as per DW172 regulations. Please note any further ductwork and gas interlock systems can be supplied and installed by CK Direct Duct & Maintenance Ltd.

CK Direct Duct & Maintenance Ltd can provide the following spares and/or replacements:

- Filters (495x495 or 495x395)
- CBM-7/7 and CBM-9/9 Fans
- REB-3 and REB-5 speed controllers
- Grease collection trays